

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	"85995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:01
S1	1667659	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:01
S3	6	"785995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:26
S6	8322	access near3 (history\$1 or log \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:28
S4	30331	access near3 (history\$1 or log \$1 or table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:28
S10	10	S9 and (network with (distance or far or distant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 11:03
S8	83	S7 and (access near3 (history \$1 or log\$1 )) with (storage near2 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 11:40
S11	8	S9 and (network with (distance or distant or path) with short\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:01
S13	263	S7 and (load adj balancing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:10
S16	90	S15 and (frequency or times)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:11

S15	97	S14 and (short\$4 or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:11
S14	111	S13 and (user near3 (identificaiton or identity or profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:11
S19	2	"6954752".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:47
S18	0	"6954752".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:47
S17	80	S16 and (mov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:47
S20	0	"6954752".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:48
S22	263	S21 and (identif\$6 with user \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:58
S23	85	S22 and ((mov\$3 or chang\$4 or relocat\$4) with stor\$5 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:00
S24	20	S22 and (((mov\$3 or chang\$4 or relocat\$4) with stor\$5 ) with (log or access or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:24
S26	49	S7 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:25
S25	3842	(relocat\$6 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:25

S12	2	"20030018639" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:34
S30	21	S26 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:50
S29	2	"20030018639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:50
S31	7	S30 and (user with frequen \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:51
S32	46611	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:55
S36	0	S35 and relocat%	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:56
S34	372	S6 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:56
S37	9	S35 and (relocat\$4 with (data or stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:57
S38	9	S37 and (short\$4 or near\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:58
S39	372	S33 and (access near3 (log\$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:02
S41	1715	S4 and ((short\$4 or near\$4) with (distance or path) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:04

S42	7	S40 and ((short\$4 or near\$4) with (distance or path) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:05
S40	90	S39 and ((relocat\$4 or mov\$3) with (data nera5 stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:13
S46	24	S45 and (movement near4 user\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:30
S48	2	"6834289".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:35
S47	18	S46 not guheen.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:35
S49	65	S33 and ((access near5 (log or history)) with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:40
S45	490	S33 and (access near5 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:40
S51	19749	(access near4 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:48
S50	10	S49 and (user\$1 with (mov\$3 or movement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:48
S54	42	S53 and (user near5 (mov\$3 or relocat\$4 or movement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:50
S55	127571	(user near5 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:18

S53	395	S52 and (access near5 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:18
S58	2	"20020048284"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:43
S57	21	S56 and (((user near5 access) same frequency ) same ((relocat\$4 or mov\$3) with (data or database or location or stor\$4)) ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:43
S28	2	"20030220998" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:44
S59	1	"20020048284" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:57
S61	0	"20020114357" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:08
S63	2	"20020114357"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:09
S62	0	"20020114357" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:09
S60	1	"5461614".pn. and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:48
S64	1	"20030177261".pn. and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:29
S66	1	"930765".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:54

S68	2	"6112281".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:55
S67	2	"20040215640"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:55
S70	2	"20040117345"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:56
S69	2	"5860137".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:56
S72	2	"20050027719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:57
S71	2	"6173306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:57
S73	2	"6983322".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:58
S76	2	"20040215639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:59
S75	2	"20040216539"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:59
S74	2	"6584457".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:59
S77	2	"20040215883"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 10:00

S78	1	"20030177261" and (access or log or history )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 10:44
S79	2	"6834289".pn. and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:05
S80	2	"20040215639" and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:06
S81	2	"20020048284" and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:32
S35	85	S23 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:46
S85	373	S82 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47
S83	46675	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47
S82	8338	access near3 (history\$1 or log \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47

S65	2	"20030177261" and (access or log or history or management or change or predetermined or pre? determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:59
S87	2	"20040083202" and (access or log or history or management or change or predetermined or pre? determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 12:00
S88	3805	distributed adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 13:04
S90	129	S89 and (access near5 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:16
S91	1	"20040083202" and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:44
S92	1	"20020048284" and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:53
S93	2	"6324620".pn. and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:57
S94	1	"20040215639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:59
S95	2	"20040083202" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:02



S98	0	"200360018639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:04
S97	0	"200360018639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:04
S96	2	"20030220998" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:04
S101	2	"20030018639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:05
S100	0	"20030018639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:05
S99	3640929	20030018639and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:05
S102	0	"20030018639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:07
S103	1	"6748383".pn. and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:11
S105	2	"5461614".pn. and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:13
S104	3	"20020152305" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:13
S110	71	S109 and ((mov\$3 or relocat \$4 or chang\$4) with (stor\$5 or data or device\$1) same (log \$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14

S109	373	S106 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
S107	46675	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
S106	8338	access near3 (history\$1 or log \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
S86	71	S85 and ((mov\$3 or relocat\$4 or chang\$4) with (stor\$5 or data or device\$1) same (log \$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
S111	5	S110 and (network near4 (distance or distant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:17
S112	2	S110 and (network near4 short\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:20
S115	14	S114 and "707"/.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:26
S118	2	"20020169794" and shortest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:29
S117	4	S116 and shortest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:29
S119	2	"20050125456"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 17:28
S21	372	S7 and (frequency with user \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:38

S122	380	S121 and (frequency with user \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:39
S120	8883	access near3 (history\$1 or log \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:39
S123	0	S122 and (migrat\$5 with (used or unused) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:40
S126	1	"20050125456" and migrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:43
S127	945	(migrat\$5 near10 (used or unused) near10 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:48
S124	1195	(migrat\$5 with (used or unused) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:48
S128	128328	"L9" and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 18:49
S131	1	"20050125456" and accessor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:30
S130	1	"20050125456" and source\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:30
S132	252	(access near3 (history\$1 or log\$1 )) same (storage near2 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 11:36
S134	0	((access near3 (history\$1 or log\$1 )) same (storage near2 device\$1)) and @ad<"200305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 11:37

S136	64	S135 and source\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 11:38
S143	2	"20030093413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 13:20
S142	2	"20020095602"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 13:20
S144	2	"20030204562"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:26
S149	2969	S148 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40
S148	11850	access near3 (history\$1 or log \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40
S147	7774	S145 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40
S146	9902	S145 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40
S145	40107	access near3 (history\$1 or log \$1 or table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40
S7	5366	S6 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40
S5	21350	S4 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:40

S152	59	S150 and S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:41
S151	4960	(relocat\$6 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:41
S150	5864	S148 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:41
S156	64345	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:42
S155	18	S152 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:42
S154	8	S152 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:42
S153	18	S152 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:42
S33	32257	S32 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:42
S27	49	S26 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:42
S164	8	S163 and ((short\$4 or near \$4) with (distance or path) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S163	107	S162 and ((relocat\$4 or mov \$3) with (data nera5 stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43

S162	423	S161 and (access near3 (log \$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S161	34174	S156 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S160	1467	S150 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S159	1627	S150 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S158	14666	S156 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S157	14126	S156 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S44	7	S42 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S43	5366	S7 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:43
S167	28082	(access near4 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:44
S166	3	S164 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:44
S165	4	S164 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:44

S52	13824	S51 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:44
S174	14126	S173 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S173	64345	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S172	32560	S170 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S171	40749	S170 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S170	177234	(user near5 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S169	6770	S167 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S168	5512	S167 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S84	32296	S83 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S56	84122	S55 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:45
S178	863	S176 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:46

S177	1498	S176 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:46
S176	5686	distributed adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:46
S175	14666	S173 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:46
S89	2666	S88 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:46
S182	2	S180 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:47
S181	7	S180 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:47
S180	24	S179 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:47
S179	1334	(shortest near5 network) with (distance or path) and ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:47
S116	4	S115 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:47
S186	457	(short\$4 near5 network) with (distance or path) and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:48
S185	14666	S183 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:48



S184	14126	S183 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:48
S183	64345	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:48
S108	32296	S107 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:48
S190	11850	access near3 (history\$1 or log \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S189	289	(shortest near5 network) with (distance or path) and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S188	273	(shortest near5 network) with (distance or path) and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S187	698	(short\$4 near5 network) with (distance or path) and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S121	5473	S120 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S114	985	(shortest near5 network) with (distance or path) and ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S113	2012	(short\$4 near5 network) with (distance or path) and ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:49
S195	189	S193 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:50

S194	383	S193 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:50
S193	1667	(migrat\$5 with (used or unused) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:50
S192	1842	S190 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:50
S191	2969	S190 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:50
S125	679	S124 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:50
S200	16092	(access near3 (history\$1 or log\$1 )) same (storage near2 device\$1) ADN @prad<"200305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51
S199	14737	(access near3 (history\$1 or log\$1 )) same (storage near2 device\$1) ADN @rlad<"200305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51
S198	146	S196 and @prad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51
S197	310	S196 and @rlad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51
S196	1316	(migrat\$5 near10 (used or unused) near10 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51
S133	18951	(access near3 (history\$1 or log\$1 )) same (storage near2 device\$1) ADN @ad<"200305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51

S129	535	S127 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:51
S202	68	((access near3 (history\$1 or log\$1 )) same (storage near2 device\$1)) and @prad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:52
S201	56	((access near3 (history\$1 or log\$1 )) same (storage near2 device\$1)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:52
S135	165	((access near3 (history\$1 or log\$1 )) same (storage near2 device\$1)) and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:52
S208	169	((access near3 request\$3) near5 (user near3 (ID or identification))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S207	157	((access near3 request\$3) near5 (user near3 (ID or identification))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S206	196	((access near4 request\$3) near6 (user near3 (ID or identification))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S205	184	((access near4 request\$3) near6 (user near3 (ID or identification))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S204	808	(access with request\$3 with user with (ID or identification)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S203	763	(access with request\$3 with user with (ID or identification)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S139	355	((access near3 request\$3) near5 (user near3 (ID or identification))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53

S138	423	((access near4 request\$3) near6 (user near3 (ID or identification))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S137	1711	(access with request\$3 with user with (ID or identification)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:53
S216	77	S150 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S215	33	S149 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S214	143	S148 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S213	75	S147 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S212	92	S146 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S211	447	S145 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S210	169	((access near3 request\$3) near5 (user near3 (ID or identification))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S141	172	S140 and (replicat\$3 or cop \$3 or duplicat\$3 or mirror\$3 or backup\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54
S140	355	((access near3 request\$3) near5 (user near3 (ID or identification))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:54

S225	9	S168 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S224	82	S167 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S223	58	S161 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S222	16	S160 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S221	25	S159 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S220	25	S158 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S219	22	S157 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S218	112	S156 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S217	61	S151 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:55
S240	7	S197 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S239	53	S196 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56

S238	3	S195 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S237	9	S194 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S236	2	S179 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S235	9	S178 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S234	29	S177 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S233	114	S176 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S232	25	S175 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S231	22	S174 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S230	112	S173 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S229	119	S172 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S228	258	S171 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56

S227	1012	S170 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S226	18	S169 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:56
S242	7	S199 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:57
S241	3	S198 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 17:57
S244	0	"20050125456" and (interface near5 module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:33
S243	1	"20050125456" and (migrat \$3 or cop\$3 or request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:33
S245	1	"20050125456" and (interface or module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:36
S246	0	"20050125456" and (control near3 module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:38
S248	0	"20050125456" and (data with transmit with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:46
S247	0	"20050125456" and (analysis near3 module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:46

S249	1	"20050125456" and transmit \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:47
S250	0	"20050125456" and (extract \$3 with log\$4 with (predetermin\$3 or fix\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 09:48
S252	2	"20030093413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 11:59
S251	1	"20050125456" and predetermin\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 11:59
S209	157	((access near3 request\$3) near5 (user near3 (ID or identification))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:00
S253	773463	((determin\$5 or deci\$4) sam (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or sourc3\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:01
S255	1378	S254 and (network\$1 and Storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:02
S256	1751	((determin\$5 or deci\$4) same (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or sourc3\$1)))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:04
S254	1751	((determin\$5 or deci\$4) same (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or sourc3\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:04



S259	968	((determin\$3 or decid\$3) with (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or sourc3\$1)))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:05
S258	994	((determin\$5 or decid\$3) with (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or sourc3\$1)))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:05
S257	1027	((determin\$5 or deci\$4) with (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or sourc3\$1)))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:05
S260	1156	((determin\$3 or decid\$3) with (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or source\$1)))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:08
S265	2	"20050125456"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:50
S264	0	"20050125456" and convert \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:50
S263	0	"20050125456" and conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:50
S261	908	S260 and (network\$1 and storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:50
S262	2533	((determin\$3 or decid\$3) with (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or source\$1)))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:56
S266	869	((direct\$3 or re?direct\$3 or redirect\$3) with file with ID) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 16:57

S267	648	((direct\$3 or re?direct\$3 or redirect\$3) with file with ID) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 17:00
S268	1902	((direct\$3 or re?direct\$3 or redirect\$3) with file with location\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 17:04
S269	1156	((locat\$3 with file\$1) with (file \$1 near3 (ID or identification or number\$1) ) ) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 17:12
S270	581	(conver\$3 with source\$1 with destination\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 17:13
S272	17	((redirect\$3 or re?direct\$3) near5 (file near3 location\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 17:16
S271	631	(convert\$3 with source\$1 with destination\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 17:16
S273	0	"20050125456" and (convert \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 11:48
S278	3	S277 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 11:51
S277	675	(convert\$3 with source\$1 with destination\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 11:51
S276	21	S275 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 11:51

S275	990	S274 and (network\$1 and storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 11:51
S274	1260	((determin\$3 or decid\$3) with (((rout\$3 or direct\$3 or re? direct\$3 or redirect\$3) with (request\$3 or quer\$3) with (stor\$3 or source\$1)))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 11:51
S279	1	"20050125456" and interface \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 12:06
S280	1	"20050125456" and before	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 12:11
S281	2	"20030204562"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 13:46

9/ 2/ 2008 3:07:48 PM

C:\ Documents and Settings\dmyint\ My Documents\ EAST\ Workspaces\ 10-785-995\_\_1.wsp